- 5. 5,106,734, \*\*Apr. 21, 1992\*\*, Process of using light absorption to control enzymatic depolymenization heparin to produce low molecular weight heparin; Jorgen I. Nielsen, 435/84, 174, 177, 803, 813; 514/85; 536/21 [IMAGE AVAILABLE]
- 6. 5,034,520, \*\*Jul. 23, 1991\*\*, Process for recovering heparinic oligosaccharides with an affinity for cell growth factors; Jean-Claude Lormeau, et al., 536/127, 21 [IMAGE AVAILABLE]
- 7. 5,013,724, \*\*May 7, 1991\*\*, Process for the sulfation of glycosaminoglycans, the sulfated glycosaminoglycans and their biological applications; Maurice Petitou, et al., 514/54, 53, 56, 61, 885; 536/21, 54, 55.2, 55.3, 117, 122, 123, 124 [IMAGE AVAILABLE]
- 8. 4,942,156, \*\*Jul. 17, 1990\*\*, Low molecular weight heparin derivatives having improved anti-Xa specificity; Kevin M. Foley, et al., 514/56, 822; 536/21 [IMAGE AVAILABLE]
- 9. 4,935,204, \*\*Jun. 19, 1990\*\*, Process and device for the specific adsorption of heparin; Dietrich Seidel, et al., 424/529; 210/646; 424/530; 435/803; 514/822, 833; 536/21; 604/5, 6 []MAGE AVAILABLE]
- 10. 4,908,354, \*\*Mar. 13, 1990\*\*, Process for the selective extracorporeal precipitation of low-density lipoproteins; Dietrich Seidel, et al., 514/21; 436/86, 87; 514/54, 55, 56, 61; 530/359 LIMAGE AVAILABLES

#### => d hist

```
(FILE 'USPAT' ENTERED AT 10:57:21 ON 25 JUL 94)
             29 S FLAVOBACTERIUM HEPARINUM
L1
            413 S LYASE#
L2
L3
              3 5 L1 AND L2
             24 S HEPARINASE# AND L1
L4
        1219014 S I OR 11 OR III
L5
             24 5 L4 AND L5
L6
         486536 S (1990 OR 1991 OR 1992 OR 1993 OR 1994)/PY
L7
             10 S L6 AND L7
L8
```

## => d hist

```
(FILE 'USPAT' ENTERED AT 10:57:21 ON 25 JUL 94)
             29 S FLAVOBACTERIUM HEPARINUM
L1
L2
            413 S LYASE#
              3 S L1 AND L2
L3
             24 S HEPARINASE# AND L1
L4
        1219014 S I OR II OR III
L5
             24 S L4 AND L5
L6
         486536 S (1990 OR 1991 OR 1992 OR 1993 OR 1994)/PY
L7
             10 S L6 AND L7
L8
```

# =) logof

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF LOGOFF? (Y)/N/HOLD:y U.S. Patent & Trademark Office LOGOFF AT 11:21:07 ON 25 JUL 94 Holate Modern Say

US PAT NO: DATE FILED:	4,935,204 []MAGE Nov. 14, 1988	AVAILABLE3	L6: 9 of 24
US PAT NO: DATE FILED:		AVAILABLEJ	L6: 10 of 24
US PAT NO: DATE FILED:	4,847,338 [IMAGE Jun. 17, 1987	AVAILABLE)	L6: 11 of 24
US PAT NO: DATE FILED:	4,826,827 [IMAGE Mar. 21, 1986	AVAILABLE)	L6: 12 of 24
US PAT NO: DATE FILED:	4,816,446 [IMAGE Jun. 13, 1985	AVAILABLEI	L6: 13 of 24
US PAT NO: DATE FILED:	4,795,703 [IMAGE Mar. 7, 1986	AVAILABLE	L6: 14 of 24
US PAT NO: DATE FILED:	4,745,106 LIMAGE Aug. 20, 1986	AVAILABLE	L6: 15 of 24
US PAT NO: DATE FILED:	4,666,855 []MAGE Jul. 31, 1985	AVAILABLEJ	L6: 16 of 24
US PAT NO: DATE FILED:	4,474,770 [IMAGE Aug. 22, 1983	AVAILABLE]	L6: 17 of 24
US PAT NO: DATE FILED:	4,443,545 [IMAGE Jan. 8, 1982	AVAILABLE]	L6: 18 of 24
US PAT NO: DATE FILED:	4,401,758 [IMAGE Oct. 6, 1980	AVAILABLEJ	L6: 19 of 24
	4,401,662 [IMAGE Oct. 6, 1980	AVA1LABLE]	L6: 20 of 24
US PAT NO: DATE FILED:	4,396,762 [IMAGE Aug. 24, 1981	AVAILABLE)	L6: 21 of 24
US PAT NO: DATE FILED:	4,373,023 [IMAGE Oct. 14, 1980	AVAILABLE]	L6: 22 of 24
US PAT NO: DATE FILED:	4,341,869 []MAGE Aug. 25, 1980	AVAILABLEJ	L6: 23 of 24
US PAT NO:	4,281,108 LIMAGE	AVAILABLEI	L6: 24 of 24

4...

=> d 1-10

DATE FILED:

- 1. 5,262,325, \*\*Nov. 16, 1993\*\*, Method for the enzymatic neutralization of heparin; Joseph J. Zimmermann, et al., 435/269, 13, 200 [1MAGE AVAILABLE]
- 2. 5,198,355, \*\*Mar. 30, 1993\*\*, Purification of glycosaminoglycan degrading enzymes with a sulfated polysaccharide; Hiroshi Kikuchi, et al., 435/232, 177, 179 [IMAGE AVAILABLE]

Jun. 2, 1980

- 3. 5,169,772, \*\*Dec. 8, 1992\*\*, Large scale method for purification of high purity \*\*heparinase\*\* from \*\*flavobacterium\*\* \*\*heparinum\*\*; Joseph J. Zimmerman, et al., 435/232, 252.1, 850 [IMAGE AVAILABLE]
  - 5,145,778, \*\*Sep. 8, 1992\*\*, \*\*parinase\*\* produced by microovenism longing to the genus bacillus; kedert W. Bellamy, et al., 435/232, 2, 252.5 [IMAGE AVAILABLE]

- /14. 4,795,703, Jan. 3, 1989, Heparin assay; Moses J. Folkman, et al., 435/13, 4, 810 [1MAGE AVAILABLE]
- 15. 4,745,106, May 17, 1988, Heparin derivatives having improved anti-Xa specificity; Charles C. Griffin, et al., 514/56, 822; 536/21 [IMAGE AVAILABLE]
- 16. 4,666,855, May 19, 1987, Rapid method for determining the isoelectric point for amphoteric molecules; Victor C. Yang, et al., 436/89; 204/182.6; 435/4; 436/163, 164 [IMAGE AVAILABLE]
- 17. 4,474,770, Oct. 2, 1984, Oligosaccharides having anti-Xa activity, pharmaceutical compositions containing them and method of use; Jean-Claude Lormeau, et al., 514/56; 536/21 [IMAGE AVAILABLE]
- 18. 4,443,545, Apr. 17, 1984, Process for producing \*\*heparinase\*\*; Robert S. Langer, Jr., et al., 435/232 [IMAGE AVAILABLE]
- 19. 4,401,758, Aug. 30, 1983, Process for making oligosaccharides having anti-Xa activity and the resulting oligosaccharides; Jean-Claude Lormeau, et al., 435/84; 514/54, 56, 822; 536/18.7, 21, 55.3 [IMAGE AVAILABLE]
- 20. 4,401,662, Aug. 30, 1983, Oligosaccharides having anti-Xa activity and pharmaceutical compositions containing them; Jean-Claude Lormeau, et al., 514/56, 54; 536/17.5, 21 [IMAGE AVAILABLE]
- 21. 4,396,762, Aug. 2, 1983, \*\*Heparinase\*\* derived anticoagulants; Robert S. Langer, et al., 536/21; 435/269, 850 [IMAGE AVAILABLE]
- 22. 4,373,023, Feb. 8, 1983, Process for neutralizing heparin; Robert S. Langer, et al., 435/2; 424/94.3, 94.5, 529; 435/178, 180 [IMAGE AVAILABLE]
- 23. 4,341,869, Jul. 27, 1982, Process for producing \*\*heparinase\*\*; Robert S. Langer, Jr., et al., 435/232, 815, 850 [IMAGE AVAILABLE]
- 24. 4,281,108, Jul. 28, 1981, Process for obtaining low molecular weight heparins endowed with elevated pharmacological properties, and product so obtained; Fernando Fussi, 536/21 [IMAGE AVAILABLE]

### => d 1-24 fd

US PAT NO: DATE FILED:	5,262,325 []MAGE Apr. 4, 1991	AVAILABLE3	L6:	1 of	24
US PAT NO: DATE FILED:	5,198,355 [IMAGE Aug. 24, 1989	AVAILABLEJ	L6:	2 of	24
US PAT NO: DATE FILED:	5,169,772 [IMAGE Jul. 2, 1991	AVAILABLEI	L6:	3 of	24
US PAT NO: DATE FILED:	5,145,778 [IMAGE Nov. 22, 1989	AVAILABLEI	L6:	4 of	24
US PAT NO: DATE FILED:	5,106,734 LIMAGE Apr. 29, 1987	AVAILABLE)	L6:	5 of	24
US PAT NO: DATE FILED:	5,034,520 [IMAGE Apr. 16, 1987	AVA1LABLE1	L6:	6 of	24
US PAT NO: DATE FILED:	5,013,724 [IMAGE Jul. 11, 1986	AVAILABLE]	L6:	7 of	24
US PAT NO: DATE FILED:	4,942,156 [IMAGE Aug. 20, 1986	AVA1LABLE3	L6:	8 of	24

## d 6±24

- 1. 5,262,325, Nov. 16, 1993, Method for the enzymatic neutralization of heparin; Joseph J. Zimmermann, et al., 435/269, 13, 200 EIMAGE AVAILABLES
- 2. 5,198,355, Mar. 30, 1993, Purification of glycosaminoglycan degrading enzymes with a sulfated polysaccharide; Hiroshi Kikuchi, et al., 435/232, 177, 179 [IMAGE AVAILABLE]
- 3. 5,169,772, Dec. 8, 1992, Large scale method for purification of high purity \*\*heparinase\*\* from \*\*flavobacterium\*\* \*\*heparinum\*\*; Joseph J. Zimmerman, et al., 435/232, 252.1, 850 [IMAGE AVAILABLE]
- 4. 5,145,778, Sep. 8, 1992, \*\*Heparinase\*\* produced by microorganism belonging to the genus bacillus; Robert W. Bellamy, et al., 435/232, 71.2, 252.5 [IMAGE AVAILABLE]
- 5. 5,106,734, Apr. 21, 1992, Process of using light absorption to control enzymatic depolymerization of heparin to produce low molecular weight heparin; Jorgen I. Nielsen, 435/84, 174, 177, 803, 813; 514/56; 536/21 [IMAGE AVAILABLE]
- 6. 5,034,520, Jul. 23, 1991, Process for recovering heparinic oligosaccharides with an affinity for cell growth factors; Jean-Claude Lormeau, et al., 536/127, 21 [IMAGE AVAILABLE]
- 7. 5,013,724, May 7, 1991, Process for the sulfation of glycosaminoglycans, the sulfated glycosaminoglycans and their biological applications; Maurice Petitou, et al., 514/54, 53, 56, 61, 885; 536/21, 54, 55.2, 55.3, 117, 122, 123, 124 [IMAGE AVAILABLE]
- 8. 4,942,156, Jul. 17, 1990, Low molecular weight heparin derivatives having improved anti-Xa specificity; Kevin M. Foley, et al., 514/56, 822; 536/21 [IMAGE AVAILABLE]
- 9. 4,935,204, Jun. 19, 1990, Process and device for the specific adsorption of heparin; Dietrich Seidel, et al., 424/529; 210/646; 424/530; 435/803; 514/822, 833; 536/21; 604/5, 6 LIMAGE AVAILABLED
- 10. 4,908,354, Mar. 13, 1990, Process for the selective extracorporeal precipitation of low-density lipoproteins; Dietrich Seidel, et al., 514/21; 436/86, 87; 514/54, 55, 56, 61; 530/359 [IMAGE AVAILABLE]
- 11. 4,847,338, Jul. 11, 1989, Low molecular weight heparin fragments as inhibitors of complement activation; Robert J. Linhardt, et al., 536/54 [IMAGE AVAILABLE]
- 12. 4,826,827, May 2, 1989, Short chained oligosaccharides having biological properties, a process for making the same and the use thereof as drugs; Jean-Claude Lormeau, et al., 514/56; 536/21, 55 [IMAGE AVAILABLE]
- 13. 4,816,446, Mar. 28, 1989, Heppin derivatives; Wolfgang Feller, et al., 514/56, 822; 536/21 [IMAGE AVAILABLE]